

101 Wesley Drive • Mechanicsburg, PA 17055 Phone 717.766.7636 or 800.382.1311 • Fax 717.697.7477 www.drivekore.com • orders@drivekore.com



SPRING

DCD985M2

20V MAX* Lithium Ion Premium 3-Speed

Hammerdrill Kit (4.0 Ah)



- 3-speed all-metal transmission
 Heavy-duty 1/2" metal ratcheting
- chuck with carbide inserts · High power, high efficiency motor



VALID APRIL 14 - 25, 2014







DCD950KX

1/2" (13mm) 18V Cordless XRPT Hammerdrill/Drill/Driver Kit

- XRPTM extended run-time batteries provide long run-time and battery life 3-speed alf-metal transmission matches the tool to task for fastest application speed and improved run



DC825KA

1/4" (6.4mm) 18V Cordless XRP™ Impact Driver Kit



- Frameless motor with replaceable brushes
- for extended tool durability and life Compact size and lightweight design allows user to get into tight spaces when performing applications



DCS380L1

20V MAX* Lithium Ion Reciprocating Saw Kit (3.0 Ah)



- 4-Position Blade Clamp
- 1-1/8" stroke length
- Variable speed trigger with 0-3000 spm



20V MAX* Lithium Ion 1/2" High Torque

Impact Wrench Kit





DCK290L2

20V MAX* Lithium Ion Hammerdrill / Impact Driver Combo Kit (3.0 Ah)





DCS371M1

20V MAX* Lithium Ion **Band Saw Kit**





DCK251X

Heavy-Duty XRP™ 18V Hammerdrill / Reciprocating Saw Combo Kit





DCK296M2

20V MAX* XR™ Lithium Ion **Brushless Premium** Hammerdrill & Impact Driver Combo Kit





DEWALT INSTANT REWARDS



Get a \$10 INSTANT REWARD on any DEWALT purchase of \$75 - \$14999 Get a \$20 INSTANT REWARD on any DEWALT purchase of \$150 - \$24999 Get a \$30 INSTANT REWARD on any DEWALT purchase of \$250 or more





18V 1/2" (13mm) Cordless XRP™

Drill/Driver Kit



- XRP™ extended run-time batteries provide long run-time and battery life
- Patented 3-speed all-metal transmission matches the tool to task for fastest application speed and improved run time



DC820KA

1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit



- Frameless motor with replaceable brushes for extended tool durability and life
- Compact size and lightweight design allows user to get into tight spaces when performing applications



DW059K-2

1/2" (13mm) 18V Cordless XRP™ Impact Wrench Kit



- 300 ft-lbs of maximum torque to perform a wide range of heavy-duty fastening applications
- 1,650 rpm/2,600 ipm for faster application speed



DC490KA

18V Cordless 18 Gauge Swivel Head and Shear Kit





DCS370K

18V Cordless Band Saw



• 2-1/2" cut capacity cuts up to 2" SCH 40 pipe

DC385K

18V Cordless Reciprocating Saw Kit





- 0-3,000 spm for faster cutting speed 4-position blade clamp allows for flush

cutting and increased versatility



6-1/2" (165mm) 18V Cordless



- 3,700 RPM for fast rip cuts and cross cuts
- 6-1/2" carbide tipped blade for 2x cutting capacity at 90° and 45°

DC411KA

4-1/2" (114mm) 18V Cordless XRP™ Cut-Off Tool



Low profile, jam-pot gear case provides precise gear gnment for a smoother, quieter transmission while allowing access to tight spaces

DC545K

18V Cordless Adhesive Dispenser - 10oz



DCS372KA

18V Metal Cutting Circular Saw Kit



- Powerful 400 MWO 3700 rpm motor delivers power and speed to make the most demanding cuts with ease
 5-1/2" 30T carbide tipped metal cutting blade quickly and cleanly cuts a variety of metallic construction materials

DCB103

Combination Dual Port Fast Charger





- Port #1) Charges all DEWALT 12V 20V MAX* Li-lon batteries • Port #2) Charges all DEWALT 7.2V - 18V NiCd/NiMH/Li-lon
- batteries (except Univolt batteries)

DCK255X

18V Cordless XRP™ Hammerdrill / Impact **Driver Combo Kit**





- DCD950 18V XRP™ cordless hammerdrill with 3-speed all-metal transmission
- DC825 18V impact driver delivers 1,330 in-lbs of max torque and 0-2,400 rpms

DCK450X

18V Cordless XRP™ 4-Tool Combo Kit





18V Cordless XRP™ 6-Tool Combo Kit





- · Powerful motor delivers 9,000 max psi to power through clogged grease fittings
- High-volume pump pushes up to 5.0 oz/min high-flow applications

MAX SYSTEM

20v12vMAX*

DCD980M2

20V MAX* Lithium Ion **Premium 3-Speed** Drill/Driver Kit (4.0 Ah)

- 3-speed all-metal transmission matches the tool to task
- Heavy-duty ½" metal ratcheting chuck with carbide inserts





DCF885M2 20V MAX* Lithium

Ion 1/4" Impact Driver Kit (4.0 Ah)

- Compact (5.55" front to back), lightweight (3.4 lbs) design fits into tight areas
- One-handed loading 1/4" hex chuck accepts 1" bit tips



DCS391M1 20V MAX* Lithium Ion Circular Saw

Kit (4.0 Ah)



- Powerful 460 MWO, 3700 rpm motor
- · High strength and lightweight magnesium shoe

DCD740C1

20V MAX* Lithium Ion 3/8" Right Angle Drill/ Driver Kit (1.5 Ah)



- · Compact, lightweight design
- High speed transmission delivers 2 speeds (0-600 & 0-2,000 rpm) for a range of fastening and drilling applications



DCD995M2

20V MAX* XRTM Lithium Ion Brushless **Premium 3-Speed** Hammerdrill Kit



 XR™ Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs



DCGG571M1 20V MAX* Lithium Ion Grease Gun

Powerful motor delivers 10,000 max psi to power through clogged grease fittings



DCK292L2

Lithium Ion Hammerdrill / **Recip Saw**



- DCD985 20V MAX* hammerdrill with 3-speed all-metal transmission
- DCS380 20V MAX* reciprocating saw with 4-position keyless blade clamp



DCK590L2

20V MAX* Lithium Ion 5-Tool Combo Kit (3.0Ah)



DCT410S1

12V MAX* 17mm **Inspection Camera with** Wireless Screen Kit

- Removable wireless screen
- Photo and video capturing on micro SD card



DCF886M2

20V MAX* XR™ Lithium Ion Brushless 1/4" **Impact Driver Kit**

- · DEWALT brushless motor delivers up to 57% more run time over brushed
- XR™ Li-lon batteries with fuel gauge provide 33% more capacity over standard packs



DCS355D1

20V MAX* XRTM Lithium Ion **Oscillating**

Multi-Tool Kit



 QUICK-CHANGE™ Accessory System allows blades and attachments to be changed quickly without wrenches 3.0

DCF815S2 12V MAX* 1/4" Impact Driver Kit



DCK211S2

12V MAX* Cordless Li-Ion Drill/Driver / **Impact Driver** Combo Kit



- DCD710 3/8" drill/driver with two speed transmission
- DCF815 1/4" impact driver with 3 LED lights

DCK210S2

12V MAX* Cordless Li-Ion Screwdriver / **Impact Driver** Combo Kit



- DCF610 1/4" screwdriver with one hand loading chucks
- DCF815 1/4" impact driver with 3 LED lights











• Compact design at only 14.5" in length for easy access to tight areas and flexibility of applications



DWS780

removal

• 11 Amp/1.9 HP 10,000 RPM motor designed for fast material



Integrated XPS cross cut
 positioning system provides
 adjustment free cut line indication
 for better accuracy and visibility



DWE7490X



DWD460K

½" (13mm) VSR Stud & Joist Drill Kit with Clutch and Bind-Up Control®



PERFORM PROTECT.

 Bind-Up Control[™] detects reactionary torque caused by a bind-up or stall and reduces speed to a manageable level until control is regained



DW079KI

18V Cordless XRP™ Self-Leveling Interior Laser



 Fully automatic horizontal and vertical self leveling with out-of-level shutoff eliminates user error, ensures accuracy, and reduces set-up time



D55154

1.1 HP Continuous 4 Gallon Electric Wheeled Dolly-Style Air Compressor with Panel



- 4.0 CFM delivered at 90 PSI pump provides rapid recovery
- · Oil lubricated pump improves durability



- concrete drilling 0-2,200 RPM, 0-6200 BPM designed for fast drilling in holes under 1/2"

7/8" Compact SDS Rotary Hammer Kit

- 6.9 amp motor provides high performance and overload protection: (0-1,550 RPM, 0-4,550 BPM)
- Variable speed trigger allows user to instantly control speed from 0 to dialed setting



8.0 Amp motor provides high performance and overload protection

D25324K

1" L-Shape SDS Rotary Hammer Kit with Quick



\$25 CABELAS®

CARD



SHOCKS Active Vibration Control® system significantly reduces vibration compared to units without vibration control

DCH253M2

D25023K

20V MAX* SDS 3 Mode **Rotary Hammer Kit**



SHOCKS

- SHOCKS Active Vibration Control[®] system significantly reduces vibration compared to units without vibration control
- 1.7 ft-lbs impact energy provides corded power without the cord *Maximum initial battery voltage (measured without a workload) is 20 volt Nominal voltage is 18.



25 CABELAS® GIFT CARD

18V 7/8" (22mm) Cordless SDS **Hammer Kit**



\$25 CABELAS®

GIFT CARD

SHOCKS Active Vibration Control® system significantly educes vibration compared to units without vibration control

D25213K

1" D-Handle Three



- · 2.5 ft-lbs of impact energy provide fast drilling
- and powerful chipping

 8.0 Amp motor provides high performance and overload protection

D25223K

1" D-Handle SDS Rotary **Hammer Kit**



8 amp motor provides high performance and overload protection. 0-1,150 RPM, 0-4,300 BPM variable speed trigger allows user to instantly control ed from 0 to dialed setting

D25313K

1" L-Shape SDS Rotary Hammer Kit



L-Shape Design offers superior balance and control . 2.5 ft-lbs of impact energy provides fast drilling and powerful chipping

D25323K

1" L-Shape **SDS Rotary Hammer Kit**



8 amp motor provides high performance and overload protection: 0-1,150 RPM, 0-4,300 BPM
 Variable speed trigger allows user to instantly control speed from 0 to dialed setting

D25501K

1-9/16" SDS Max

Combination **Hammer Kit**





12 Amp motor provides high performance and overload protection; 490 rpm¹ 3300 bpm 8.0 ft lbs. of impact energy provides fast drilling and powerful chipping

D25553K

1-9/16" Spline

Combination

Hammer Kit

12.0 Amp motor provides high performance and overload protection; 490 rpm, 3300 bpm

drilling and powerful chipping

8.0 ft-lbs of impact energy provides fast

Pavement Breaker with

Hammer Truck and Steel

D25602K

1-3/4" SDS Max **Combination Hammer Kit** with SHOCKS - Active Vibration Control® & 2 Stage Clutch



SHOCKS

- 13.5 Amp high-performance motor provides high performance
- and overload protection; 210-415 rpm; 1430-2840 bpm 9.5 ft-lbs. of Impact Energy provides fast drilling and powerful chipping

D25651K

CABELAS

1-3/4" Spline Combination Hammer Kit with SHOCKS

 Active Vibration Control® & 2 Stage Clutch



SHOCKS

13.5 Amp motor provides maximum performance and overload protection

9.5 ft-lbs. Impact Energy provides fast drilling and powerful chipping









D25980K



- 61 Ft-lbs impact energy provides maximum performance SHOCKS Active Vibration Control® system
- significantly reduces vibration compared to units without vibration control





Metal gear housing for jobsite durability and increased reliability

DW268

2,500 rpm VSR VERSA-CLUTCH™ Scrugun



Helical-cut steel, heat-treated steel gears for long life and durability High power motor for metal fastening applications

DWD520K

1/2" VSR Pistol Grip Hammerdrill Kit



- 10.0 Amp motor delivers increased drilling performan
- Patented DeWALT built motor design generates 50% more power with increased overload protection for added durability

DWD210G



- 10.0 Amp motor delivers increased drilling performance
- Motor design generates 50% more power with increased overload protection for added durability

DW272

4,000 rpm VSR Drywall Scrugun



- Metal gear housing for increased durability Depth sensitive "set and forget" nosepiece
- for consistent fastener depth Rubber grip and two-finger trigger for increased comfort

DW292

1/2" (13mm) Impact Wrench with Detent Pin Anvil



- 45 ft-lbs of deliverable torque in
- forward and reverse 1/2" detent pin anvil
- AC/DC forward/reverse rocking switch
 Soft grip handle

DW130V



DW297

3/4" (19mm) **Impact Wrench**



Easy forward or reverse, can run on AC or DC current
 Ball bearing construction for increased durability

DW269

1,000 rpm VSR VERSA-CLUTCH™ Scrugun



"dials in" the proper torque needed to efficiently drive fasteners without stripping or breaking fastener

DWD112



DWE4559N

9" 6,500 rpm 4.7 **HP** Angle Grinder No-Lk



- High power 4.7 HP (maximum motor HP) 6,500 rpm motor provides overload protection provides higher operating speeds under load
- Anti Vibe Trigger Handle reduces user fatigue caused by vibration

DWE4557

7" 8,500 rpm 4.7 HP Angle Grinder



High power 4.7 HP (maximum motor HP) 8,500 rpm motor provides overload protection provides higher operating speeds under load

D28144

6" High Performance Cut-Off/Grinder

D28140

6" High Performance Cut-Off/Grinder



 Dual Clutch Protection™ prevents the gears from stripping and motor from burning up in a wheel pinch/stall increasing durability

D28112

4-1/2" (115mm) Small Angle Grinder OR

D28402 4-1/2" (115mm) Small Angle Grinder



- 10.0 Amp AC/DC 11,000 rpm motor
 Dust Ejection System™ provides durability by ejecting dust particles that enter the tool through the air intake vents

D28114

4-1/2" - 5" High Performance Grinder D28131

4-1/2" - 5" High Performance Grinder



Complete Electronic Control™ provides multiple advanced technology features such as E-Clutch®, Power-Off®, and Power-Loss Reset®



• 15.0 Amp, high-torque motor for increased productivity

7-1/4" (184mm) Circular Saw with Rear Pivot Depth of Cut Adjustment and Electric Brake



Rear pivot depth of cut adjustment allows your hand to remain behind the tool at all depth of cuts

DWE575

7-1/4" Lightweight Circular Saw



57° beveling capacity with stops at 45° and 22.5°



14" (355 mm) Multi-Cutter® Saw



 Multi-Cutter® offers versatility by cutting a wide variety of materials including ferrous and non-ferrous metalsthroughout blade life



D28710

DW364

14" (355mm) Chop Saw



15.0 Amp/4.0 HP (maximum motor HP) motor provides overload protection, increasing performance and durability





15.0 Amp/5.3 HP (maximum motor HP) motor provides high power and speed for metal and concrete cutting

DW304PK

10.0 Amp Reciprocating Saw Kit



- · 4-position blade clamp allows for flush cutting and versatility
- Powerful 10.0 Amp motor designed for heavy-duty applications

DW311K

13.0 Amp Reciprocating Saw Kit



- 13 Amp motor delivers increased power for heavy-duty applications
 Orbital action delivers fast cutting for wood applications



- 10 amp motor designed with controlled power
- 5" deep cut capacity for round or rectangular stock

DW124K

1/2" (13mm) Stud & Joist Drill Kit



- 100% ball-bearing construction provides durability
- Mechanical-slip clutch in low gear to provide control of reactionary torque

1-1/2" (40mm) Die Grinder





- 3.0 Amp, 25,000 rpm motor provides high power and speed for all 1-1/2" grinding applications
- AC/DC capacity works off welding machines and generators for increased productivity and versatility

DW160V

3/8" (10mm) VSR Right Angle Drill



- · Compact right-angle design for easy access in tight places
- · Paddle switch for convenient one-handed operation

DW317K Compact Jig Saw Kit

Keyless blade clamp allows for quick blade change without touching blade or reciprocating shaft

DW331K

Variable Speed Top-Handle Jiq Saw Kit



Powerful 6.5 Amp motor delivers the cutting power for the most demanding materials







Cordless or corded operation powered by either an 18V or 20V MAX* battery - or an AC outlet

DW083K 3 Beam Laser Pointer



Self-levling point laser is accurate to ±1/4" @ 100

DW088K

Cross Line Laser



- Projects bright crossing horizontal and vertical lines for various leveling and layout applications
- · Maintains full brightness for visibility and extends range

DW089K

Self Leveling 3 Beam Line Laser



- 3 Beam Line Laser to aid in 90° layout
- 2x Brighter diode to increase visibility in bright job site conditions
- Accurate to +/- 1/8" @ 30' for level applications



101 Wesley Drive . Mechanicsburg, PA 17055 Phone 717.766.7636 or 800.382.1311 • Fax 717.697.7477 www.drivekore.com • orders@drivekore.com



DWHT10035L Folding Retractable **Utility Knife**





· Retractable blade offers variable cut depth

DWHT11004L

Heavy-Duty Utility Blades (75 Pack)

• Induction-Hardened Cutting Edge allows for few blade changes

DWHT33373L 1-1/8" x 25ft Short Tape



. 10' of blade standout for increased user reacht

DWHT33385L

1-1/4" x 25ft Short Tape



• 13' of blade standout for increased user reach†

A WHOLE NEW TOUG

DWST08203 ToughSystem™ Large Case



. Durable 4mm thick structural foam box wall gives robust structure to the stand alone units DWHT70283

Aviation Single Snip -Offset Left



· Internal locking mechanism with auto release

DC618K

18V Cordless XRP™

1-1/4" - 2-1/2" 16 Gauge 20° Angled

Finish Nailer Kit

DWHT70284 **Aviation Single Snip**

Offset Right



Internal locking mechanism with auto release

DWHT70440 Jobsite LED Headlamp



. 104 Lumens of bright white light

DC608K 18V Cordless 2" 18 Gauge Brad Nailer



 Engine design allows the tool to work as fast as the end user with consistent nail penetration into both soft and hard joints



Sequential operating mode allows for precision placement and the

DCN690M1 20V MAX* XRTM

Lithium Ion Brushless Framing Nailer



Brushless motor and engine design allow the tool to work as fast as the end user with consistent nail penetration into both soft and hard joints

bump operating mode provides the user with production speed



 2 AMP Charger for 12V MAX* & 20V MAX* DEWALT Battery Packs allows for quick and convenient battery charging

DC012 Worksite Radio/Charger



hour charger for 7.2V to 18V DEWALT battery packs (except Univolt®) Runs off of 7.2V to 18V DEWALT batteries making it a cordless radio



DCR018 18V/20V MAX*/ 12V MAX* Compact Worksite Radio



Able to be powered by 18V NiCad/Li-lon, 12V MAX* or 20V MAX* DEWALT power tool batteries making it compatible with DEWALT's largest systems of batteries

tbased on maximum performance

With respect to 12V MAX, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. With respect to 20V MAX*, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18. DEWALT's Perform & Protect line of Power Tools is designed to provide a high level of one or more of the following: control, dust containment, or low vibration, without sacrificing performance

Terms and Conditions: This is not a game of chance. Void where prohibited. Offer only available at the participating DriveKore location. Offer valid on purchases made on April 14-25, 2014. All federal, state and local laws and regulations apply. Prices and amounts on flyer do not include taxes. Original invoices evidencing qualifying purchases must be provided. Offer valid only for product end users. No cash value. Offer not valid with any other offer or promotion. DEWALT reserves the right to provide alternate redemption items of equal or greater value. To qualify for instant reward, products must be purchased within one transaction, not cumulative. Products purchased are valid towards one redemption item or one instant reward only. Offer subject to change without notice. DRIVEKORE and DEWALT reserve the right to limit the number of redemption items and/or discounts per customer and/or transaction. Accessories pictured with power tools in flyer, including but not limited to blades and wheels, may be sold separately; please see store for details on package contents. DEWALT is not responsible for any lost, misplaced, stolen, unused or expired gift cards.

Copyright ©2014 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. GoreTM is a trademark of W.L. Gore. CABELA'S® is a registered trademark of Cabela's Inc. MF DriveKoreToolBlitz_031713_f.ai/ME/GDS/14-0422