

GENERAL NOTES:

the highest rating of the adjacent construction. 3. If alternate details matching the field conditions are not available, manufacturer's engineering judgment drawings are acceptable. Engineering Judgments shall follow the International Firestop Council (IFC) Guidelines for Evaluating Firestop Systems Engineering Judgments.

4. References:

- · UL Fire Resistance Directory, Current Edition.
- NFPA 101 Life Safety Code
- · All governing local and regional building codes
- 5. Firestop System installation must meet requirements of ASTM E814 (UL 1479) tested assemblies that provide a fire rating equal to that of the surrounding construction.

PROJECT NAME:

ARCHITECT/CONSULTANT:

TITLE:

STI FIRESTOP SYSTEMS FIRESTOP THROUGH PENETRATIONS

DIVISION 26: Electrical


DIVISION 27: Communications


Specified Technologies Inc. 210 Evans Way Somerville, NJ 08876

Toll Free: (800)992-1180 Phone: (908)526-8000 FAX (908)231-8415 FAX (908)231-8413
E-Mail:techserv@stifirestop.com

Website:www.stifirestop.com







































(9)

PROJECT NAME:

GENERAL NOTES:

construction.

Judgments. 4. References:

building codes 5. Firestop System installation must meet requirements of ASTM E814 (UL 1479) tested assemblies that provide a fire rating equal to that of the surrounding construction.

drawings are acceptable. Engineering Judgments shall follow the International Firestop Council (IFC) Guidelines for Evaluating Firestop Systems Engineering

3. If alternate details matching the field conditions are not available, manufacturer's engineering judgment

 UL Fire Resistance Directory, Current Edition. • NFPA 101 Life Safety Code All governing local and regional

1. Refer to section 07 84 00 of the specifications. For Quality Control requirements, refer to the Quality Control portion of the specification. 2. Details shown are typical details. If field conditions do not match requirements of typical details, approved alternate details shall be utilized. Field conditions and dimensions need to be verified for compliance with the details, including but not limited to the following: · Type and thickness of fire-rated construction. The minimum assembly rating of the firestop assembly shall meet or exceed the highest rating of the adjacent

ARCHITECT/CONSULTANT:

TITLE:

STI FIRESTOP SYSTEMS FIRESTOP THROUGH PENETRATIONS


DIVISION 26: Electrical **DIVISION 27:** Communications


Specified Technologies Inc. 210 **Evans Way Somerville, NJ 08876**



Toll Free: (800)992-1180 Phone: (908)526-8000 FAX (906)231-04.0 FAX (908)231-8415 Website:www.stifirestop.com
































System No. W-J-3158











GENERAL NOTES:

- 1. Refer to section 07 84 00 of the specifications. For Quality Control requirements, refer to the Quality Control portion of the specification.
- 2. Details shown are typical details. If field conditions do not match requirements of typical details, approved alternate details shall be utilized. Field conditions and dimensions need to be verified for compliance with the details, including but not limited to the following:
 - · Type and thickness of fire-rated construction. The minimum assembly rating of the firestop assembly shall meet or exceed the highest rating of the adjacent construction.
- 3. If alternate details matching the field conditions are not available, manufacturer's engineering judgment drawings are acceptable. Engineering Judgments shall follow the International Firestop Council (IFC) Guidelines for Evaluating Firestop Systems Engineering Judgments.
- 4. References:
 - UL Fire Resistance Directory, Current Edition.
 - NFPA 101 Life Safety Code
 - All governing local and regional building codes
- 5. Firestop System installation must meet requirements of ASTM E814 (UL 1479) tested assemblies that provide a fire rating equal to that of the surrounding construction.

PROJECT NAME:

ARCHITECT/CONSULTANT:

TITLE:

STI FIRESTOP SYSTEMS FIRESTOP THROUGH PENETRATIONS


DIVISION 26: Electrical **DIVISION 27:** Communications

Specified Technologies Inc. 210 **Evans Way Somerville, NJ 08876**




Phone: (908)526-8000 FAX (908)231-0+13
E-Mail:techserv@stifirestop.com FAX (908)231-8415 Website:www.stifirestop.com
















- 1. Refer to section 07 84 00 of the specifications. For Quality Control requirements, refer to the Quality Control portion of the specification.
- 2. Details shown are typical details. If field conditions do not match requirements of typical details, approved alternate details shall be utilized. Field conditions and dimensions need to be verified for compliance with the details, including but not limited to the following:
 - · Type and thickness of fire-rated construction. The minimum assembly rating of the firestop assembly shall meet or exceed the highest rating of the adjacent construction.
- 3. If alternate details matching the field conditions are not available, manufacturer's engineering judgment drawings are acceptable. Engineering Judgments shall follow the International Firestop Council (IFC) Guidelines for Evaluating Firestop Systems Engineering Judgments.
- 4. References:
 - UL Fire Resistance Directory, Current Edition.
 - NFPA 101 Life Safety Code
 - All governing local and regional building codes
- 5. Firestop System installation must meet requirements of ASTM E814 (UL 1479) tested assemblies that provide a fire rating equal to that of the surrounding construction.

PROJECT NAME:

ARCHITECT/CONSULTANT:

TITLE:

STI FIRESTOP SYSTEMS FIRESTOP THROUGH PENETRATIONS


DIVISION 26: Electrical **DIVISION 27:** Communications

Specified Technologies Inc. 210 **Evans Way Somerville, NJ 08876**



Toll Free: (800)992-1180 Phone: (908)526-8000 FAX (908)231-8415 Website:www.stifirestop.com









(9)













Tashnologias Inc. 210 Evens Way Semerville, NJ 08876




















Med Technologies inc. 210 Evens Way Somerville, NJ 08870



GENERAL NOTES:

- 1. Refer to section 07 84 00 of the specifications. For Quality Control requirements, refer to the Quality Control portion of the specification.
- 2. Details shown are typical details. If field conditions do not match requirements of typical details, approved alternate details shall be utilized. Field conditions and dimensions need to be verified for compliance with the details, including but not limited to the following:
 - Type and thickness of fire-rated construction. The minimum assembly rating of the firestop assembly shall meet or exceed the highest rating of the adjacent construction.
- 3. If alternate details matching the field conditions are not available, manufacturer's engineering judgment drawings are acceptable. Engineering Judgments shall follow the International Firestop Council (IFC) Guidelines for Evaluating Firestop Systems Engineering Judgments.
- 4. References:
 - UL Fire Resistance Directory, Current Edition.
 - NFPA 101 Life Safety Code
 - All governing local and regional building codes
- 5. Firestop System installation must meet requirements of ASTM E814 (UL 1479) tested assemblies that provide a fire rating equal to that of the surrounding construction.

PROJECT NAME:

ARCHITECT/CONSULTANT:

TITLE:

STI FIRESTOP SYSTEMS FIRESTOP THROUGH PENETRATIONS

DIVISION 26: Electrical **DIVISION 27:** Communications

Specified Technologies Inc. 210 **Evans Way Somerville, NJ 08876**



Toll Free: (800)992-1180 Phone: (908)526-8000 FAX (908)231-8415 FAX (908)231-8415

F-Mail:techserv@stifirestop.com Website:www.stifirestop.com